

## Claims

What is claimed is:

1 1. A method for providing dynamic assistance for disabled user  
2 interface resources comprising the steps:  
3 identifying code for disabling controls;  
4 changing a state of identified code from disabled to disabled with  
5 assistance;  
6 providing assistance text to explain why control is disabled; and  
7 providing code for correcting a condition for disabling control.

1 2. A method for providing dynamic assistance for disabled user  
2 interface resources as recited in claim 1 includes the step of displaying an  
3 assistance icon for viewing by a user.

1 3. A method for providing dynamic assistance for disabled user  
2 interface resources as recited in claim 2 includes the steps of identifying a  
3 user selection of said assistance icon and displaying said assistance text.

1 4. A method for providing dynamic assistance for disabled user  
2 interface resources as recited in claim 3 includes the step of displaying an  
3 adjustment button.

1 5. A method for providing dynamic assistance for disabled user  
2 interface resources as recited in claim 4 includes the steps of identifying a  
3 user selection of said adjustment button; and utilizing said code for  
4 correcting condition for disabling control, and executing an action on eligible  
5 items.

1 6. A method for providing dynamic assistance for disabled user  
2 interface resources as recited in claim 1 includes the step of displaying a  
3 help text for viewing by a user.

1           8.     A computer system having apparatus for providing dynamic  
2 assistance for disabled user interface resources comprising:  
3           a processor,  
4           a memory;  
5           a display;  
6           a bus connecting said processor, said memory and said display,  
7           a GUI dynamic assistance program, a graphical user interface  
8 including a disabled with assistance menu item; said GUI dynamic  
9 assistance program performing the steps of:  
10           identifying code for disabling controls;  
11           changing a state of identified code from disabled to disabled with  
12 assistance;  
13           providing assistance text to explain why control is disabled;  
14           providing code for correcting a condition for disabling control;  
15           displaying an assistance icon for viewing by a user;  
16           identifying a user selection of said assistance icon; and  
17           displaying said assistance text and displaying an adjustment button.

ROC920000010

